PHYSICS AND CHEMISTRY OF MINERALS

Volume 13 1986

In Cooperation with the International Mineralogical Association (IMA)

Founding Editors: S.S. Hafner and C.T. Prewitt

Edited by I. Jackson, A.S. Marfunin, A. Navrotsky, F. Seifert

Advisory Board

T.J. Ahrens Pasadena
A. Authier Paris
V.I. Baguin Moscow
A. Baronnet Marseille
G.B. Bokij Moscow
M.E. Fleet, London, Ontario
V. Gabis Orléans la Source
G.V. Gibbs Blacksburg
R. Jeanloz, Berkeley
D.L. Kohlstedt Ithaca
K. Langer Berlin
G. Lehmann Münster
J.D.C. McConnell Cambridge, U.K.
A.C. McLaren Canberra
N. Morimoto Kyoto
R.E. Newnham University Park
A. Preisinger Vienna
A. Putnis, Cambridge, U.K.
E. Salje Hannover
H. Schmalzried Hannover
R.N. Schock Livermore
Y. Syono Sendai
J. Tossell, College Park
V.M. Vinokurov Kazan

Springer International

Physics and Chemistry of Minerals

In Cooperation with the International Mineralogical Association (IMA)

Founded in 1977. Founding Editor: S. S. Hafner.
Volumes 1–9 (1977–1983) edited by S. S. Hafner, A. S. Marfunin, and C.T. Prewitt,
from Volume 10 (1984) by I. Jackson, A.S. Marfunin, C.T. Prewitt, F. Seifert,
from Volume 13 (1986) by I. Jackson, A.S. Marfunin, A. Navrotsky, F. Seifert

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA. Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $0.20 per page, or a minimum of US $1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0342-1791, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Other regulations. Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors resident in the Federal Republic of Germany or in West Berlin can apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed by Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin Heidelberg 1986

Printed in Germany

Author Index, Volume 13

Akahama Y, see Endo S, et al. 146–151
Akai T, see Endo S, et al. 146–151
Akaogi M, Akimoto S: Infrared Spectra of High-Pressure Hydrous Silicates in the System $MgO-SiO_2-H_2O$ 161–164
Akaogi M, see Williams Q, et al. 69–78
Akasaka M, Ohashi H, Shinno I: The Distribution of Fe^{3+} and Ga^{3+} between Two Tetrahedral Sites in Melilites, $Ca_2(Mg, Fe^{3+}, Ga, Si)_3O_7$ 152–155
Akimoto S, see Akaogi M 161–164
Apted MJ, see Waychunas GA, et al. 31–47
Arashi H, see Kudoh Y, et al. 233–237
Arndt J, see Geisinger KL, et al. 357–359
Au AY, Weidner DJ: Theoretical Modelling of the Elastic Properties of Forsterite: A Polyhedral Approach 360–370
Au AY, see Hazen RM 69–78
Balitskaya OV, see Balitsky VS 415–421
Balitsky VS, Balitskaya OV: The Amethyst-Citrine Dichromatism in Quartz and Its Origin 415–421
Ballet O: Comment on Magnetism in Biotites 281
Baolei M, see Gongbao W 198–205
Barbier J, Hyde BG: Spinelloid Phases in the System $MgGa_2O_4-Mg_2GeO_4$ 382–392
Beck CW, Lambert JB, Frye JS: Beckerite 411–414
Beran A: A Model of Water Allocation in Alkali Feldspar, Derived from Infrared-Spectroscopic Investigations 306–310
Bourret A, Hinze E, Hochheimer HD: Twin Structure in Coesite Studied by High Resolution Electron Microscopy 206–212
Bowen LH, see De Grave E, et al. 61–67
Boyer H, see Guyot F, et al. 91–95
Brown Jr. GE, see Waychunas GA, et al. 31–47
Carmichael ISE, see Stebbins JF, et al. 371–381
Carpenter MA: Experimental Delineation of the "e"⇋I1 and "e"⇋C1 Transformations in Intermediate Plagioclase Feldspars 119–139
Chambaere DG, see De Grave E, et al. 61–67
Chao ECT, see Hemley RJ, et al. 285–290
Cohen RE: Statistical Mechanics of Coupled Solid Solutions in the Dilute Limit 174–182
Cohen RE: Configurational Thermodynamics of Aluminous Pyroxenes: A Generalized Pair Approximation 183–197
Couderc J-J, Hennig-Michaeli C: Transmission Electron Microscopy of Experimentally Deformed Chalcopyrite Single Crystals 393–402
De Grave E, Persoons RM, Chambaere DG, Vandenberghe RE, Bowen LH: An ^{57}Fe Mössbauer Effect Study of Poorly Crystalline γ-FeOOH 61–67
Devarajan V, Salje E: Phase Transitions in Langbeinites II: Raman Spectroscopic Investigations of $K_2Cd_2(SO_4)_3$ 25–30
Dikov YuP, Rekharsky VI, Gutzev GL, Dolin SP, Levin AA: Model Investigation of Electronic Structure of Some Silicate Clusters by DVM-X_α 48–60
Dolin SP, see Dikov YuP, et al. 48–60
Doukhan JC, see Doukhan N 403–410
Doukhan N, Doukhan JC: Dislocations in Perovskites $BaTiO_3$ and $CaTiO_3$ 403–410
Endo S, Akai T, Akahama Y, Wakatsuki M, Nakamura T, Tomii Y, Koto K, Ito Y, Tokonami M: High Temperature X-Ray Study of Single Crystal Stishovite Synthesized with Li_2WO_4 as Flux 146–151
Fei Y, Saxena SK: A Thermochemical Data Base for Phase Equilibria in the System $Fe-Mg-Si-O$ at High Pressure and Temperature 311–324
Finger LW, Hazen RM, Hofmeister AM: High-Pressure Crystal Chemistry of Spinel ($MgAl_2O_4$) and Magnetite (Fe_3O_4): Comparisons with Silicate Spinels 215–220
Freund F: Reply to "Comment on Solute Carbon and Carbon Segregation in Magnesium Oxide Single Crystals – A Secondary Ion Mass Spectrometry Study" by I.S.T. Tsong and U. Knipping 280
Freund F: Solute Carbon and Carbon Segregation in Magnesium Oxide Single Crystals – a Secondary Ion Mass Spectrometry Study 262–276
Frye JS, see Beck CW, et al. 411–414
Fuess H, see Ried H 113–118
Geisinger KL, Navrotsky A, Arndt J: Enthalpy of Diaplectic Labradorite Glass 357–359
Ghose S, Kersten M, Langer K, Rossi G, Ungaretti L: Crystal Field Spectra and Jahn Teller Effect of Mn^{3+} in Clinopyroxene and Clinoamphiboles from India 291–305
Gillet Ph, see Ingrin J 325–330
Gongbao W, Baolei M: The Crystal Chemistry and Mössbauer Study of Schorlomite 198–205
Gonschorek W: Electron Density and Polarized Absorption Spectra of Fayalite 337–339
Gutzev GL, see Dikov YuP, et al. 48–60
Guyot F, Boyer H, Madon M, Velde B, Poirier JP: Comparison of the Raman Microprobe Spectra of $(Mg, Fe)_2SiO_4$ and Mg_2GeO_4 with Olivine and Spinel Structures 91–95
Hazen RM, Au AY: High-Pressure Crystal Chemistry of Phenakite (Be_2SiO_4) and Bertrandite ($Be_4Si_2O_7(OH)_2$) 69–78
Hazen RM, see Finger LW, et al. 215–220
Hemley RJ, Mao H-K, Chao ECT: Raman Spectrum of Natural and Synthetic Stishovite 285–290
Hennig-Michaeli C, see Couderc J-J 393–402
Hinze E, see Bourret A, et al. 206–212
Hochheimer HD, see Bourret A, et al. 206–212
Hofmeister AM, see Finger LW, et al. 215–220
Hyde BG, see Barbier J 382–392
Ingrin J, Gillet Ph: TEM Investigation of the Crystal Microstructures in a Quartz-Coesite Assemblage of the Western Alps 325–330
Ishii M, see Yámanaka T 156–160
Ito Y, see Endo S, et al. 146–151
Jeanloz R, see Williams Q, et al. 69–78
Kerrick DM: Dislocation Strain Energies in the Al_2SiO_5 Polymorphs 221–226
Kersten M, see Ghose S, et al. 291–305
Kimura S, see Nakagiri N, et al. 238–244
Knipping U, see Tsong IST 277–279
Koepke J, Schulz H: Single Crystal Structure Investigations Under High-Pressure of the Mineral Cordierite with an Improved High-Pressure Cell 165–173
Kohlstedt DL, see Mackwell SJ 351–356
Koto K, see Endo S, et al. 146–151
Kudoh Y, Takeda H, Arashi H: In Situ Determination of Crystal Structure for High Pressure Phase of ZrO_2 Using a Diamond Anvil and Single Crystal X-Ray Diffraction Method 233–237
Lambert JB, see Beck CW, et al. 411–414
Langer K, see Ghose S, et al. 291–305
Lehmann G, see Prissok F 331–336
Levin AA, see Dikov YuP, et al. 48–60
Mackwell SJ, Kohlstedt DL: High-Temperature Deformation of Forsterite Single Crystals Doped with Vanadium 351–356
Madon M, see Guyot F, et al. 91–95
Manghnani MH, see Nakagiri N, et al. 238–244
Mao H-K, see Hemley RJ, et al. 285–290
Markgraaff J: Elastic Behavior of Quartz During Stress Induced Dauphiné Twinning 102–112
Ming LC, see Nakagiri N, et al. 238–244
Mosheim E, see Schmidbauer E, et al. 256–261
Murdoch JB, see Stebbins JF, et al. 371–381
Nakagiri N, Manghnani MH, Ming LC, Kimura S: Crystal Structure of Magnetite under Pressure 238–244
Nakamura T, see Endo S, et al. 146–151
Navrotsky A, see Geisinger KL, et al. 357–359
Ohashi H, see Akasaka M, et al. 152–155
Ottonello G: Energetics of Multiple Oxides with Spinel Structure 79–90
Paterson MS: The Thermodynamics of Water in Quartz 245–255
Persoons RM, see De Grave E, et al. 61–67
Pines A, see Stebbins JF, et al. 371–381

Poirier JP, see Guyot F, et al. 91–95
Prissok F, Lehmann G: An EPR Study of Mn^{2+} and Fe^{3+} in Dolomites 331–336
Referee Acknowledgement 213–214
Rekharsky VI, see Dikov YuP, et al. 48–60
Ried H, Fuess H: Lamellar Exsolution Systems in Clinopyroxene. Transmission Electron Microscope Observations 113–118
Rossi G, see Ghose S, et al. 291–305
Salje E: Raman Spectroscopic Investigation of the Order Parameter Behaviour in Hypersolvus Alkali Feldspar: Displacive Phase Transition and Evidence for Na-K Site Ordering 340–346
Salje E, see Devarajan V 25–30
Salje E, see Speer D 17–24
Sawamoto H: Single Crystal Growth of the Modified Spinel (β) and Spinel (γ) Phases of $(Mg, Fe)_2SiO_4$ and Some Geophysical Implications 1–10
Saxena SK, see Fei Y 311–324
Schmidbauer E, Mosheim E, Semioschkina N: Magnetization and ^{57}Fe Mössbauer Study of Obsidians 256–261
Schulz H, see Koepke J 165–173
Semioschkina N, see Schmidbauer E, et al. 256–261
Shinno I, see Akasaka M, et al. 152–155
Speer D, Salje E: Phase Transitions in Langbeinites I: Crystal Chemistry and Structures of K-double Sulfates of the Langbeinite Type $M_2^{++}K_2(SO_4)_3$, M^{++} = Mg, Ni, Co, Zn, Ca 17–24
Stebbins JF, Murdoch JB, Carmichael ISE, Pines A: Defects and Short-range Order in Nepheline Group Minerals: a Silicon-29 Nuclear Magnetic Resonance Study 371–381
Takeda H, see Kudoh Y, et al. 233–237
Tokonami M, see Endo S, et al. 146–151
Tomii Y, see Endo S, et al. 146–151
Tossell JA, see Vaughan DJ 347–350
Townsend MG: Rely to 'Comment on Magnetism in Biotites' by O. Ballet 282–283
Tsong IST, Knipping U: Comment on "Solute Carbon and Carbon Segregation in Magnesium Oxide Single Crystals – A Secondary Ion Mass Spectrometry Study" by F. Freund 277–279
Ungaretti L, see Ghose S, et al. 291–305
Vandenberghe RE, see De Grave E, et al. 61–67
Vaughan DJ, Tossell JA: Interpretation of the Auger Electron Spectra (AES) of Sulfide Minerals 347–350
Velde B, see Guyot F, et al. 91–95
Wakatsuki M, see Endo S, et al. 146–151
Wang HS, see Zhao S-B, et al. 96–101
Waychunas GA, Brown Jr. GE, Apted MJ: X-ray K-edge Absorption Spectra of Fe Minerals and Model Compounds: II. EXAFS 31–47
Weidner DJ, see Au AY 360–370
Williams Q, Jeanloz R, Akaogi M: Infrared Vibrational Spectra of Beta-Phase Mg_2SiO_4 and Co_2SiO_4 to Pressures of 27 GPa 69–78
Xiao TB, see Zhao S-B, et al. 96–101
Yámanaka T: Crystal Structures of Ni_2SiO_4 and Fe_2SiO_4 as a Function of Temperature and Heating Duration 227–232
Yámanaka T, Ishii M: Raman Scattering and Lattice Vibrations of Ni_2SiO_4 Spinel at Elevated Temperature 156–160
Yund RA: Interdiffusion of NaSi–CaAl in Peristerite 11–16
Zhao S-B, Wang HS, Zhou KW, Xiao TB: The Spin-Forbidden Absorption Spectrum of Fe^{2+} in Orthopyroxene 96–101
Zhou KW, see Zhao S-B, et al. 96–101

Subject Index, Volume 13

All mineral names occurring in titles, subtitles and abstracts are indexed. Chemical formulae are according to M. Fleischer, Glossary of Mineral Species, 1983 (in some cases simplified) or as given by the author. The numbers refer to the title page. Mineral names not listed in the index of M. Fleischer are marked with an asterisk (*).

A

alkali feldspars $(K,Na)AlSi_3O_8$
  infrared spectra 306
  Na–K site ordering 340
  phase transition 340
  Raman spectra 340
  short-range order 340
  water 306
*amber
  *beckerite 411
amphibole group
  crystal field spectra 291
  crystal structure 291
  juddite 291
  nuclear gamma ray resonance 291
  winchite 291
andalusite Al_2SiO_5
  strain energy 221
Auger electron spectra
  sulfides 347

B

baddeleyite ZrO_2
  high-pressure phase 233
  order-disorder 233
*beckerite
  infrared spectroscopy 411
  nuclear magnetic resonance 411
bertrandite $Be_4Si_2O_7(OH)_2$
  crystal chemistry 69
  equation of state 69
bulk modulus
  cf. elastic properties, compressibility

C

calorimetry
  labradorite glass 357
carbon C
  in periclase 262, 277, 280
chalcopyrite $CuFeS_2$
  deformation 393
cluster variation method
  pyroxenes 183
coesite SiO_2
  electron microscopy 206, 325
  planar defects 206
color
  dichromatism quartz 415
color centers
  quartz 415
compressibility
  bertrandite 69
  cordierite 165
  magnetite 215, 238
  phenakite 69
  spinel 215
cordierite $(Mg,Fe)_2Al_4Si_5O_{18}$
  compressibility 165
  structure under pressure 165
cristobalite SiO_2
  DVM-Xα calculation 48
crystal chemistry
  bertrandite 69
  langbeinite-type 17
  phenakite 69
  schorlomite 198
crystal field effect
  Mn^{3+} 291
crystal growth
  high pressure 1
  quartz 415
  silicate spinels 1
  stishovite 146
crystal structure
  baddeleyite 233
  blanfordite 291
  clinoamphibole 291
  clinopyroxene 291
  cordierite under pressure 165
  Fe_2SiO_4 spinel 227
  juddite 291
  kalsilite 371
  langbeinite type 17
  magnetite under pressure 215, 238
  nepheline 371
  Ni_2SiO_4 spinel 227
  spinel under pressure 215
  stishovite high temperature 148
  winchite 291

D

Dauphiné twins
  quartz 102
defects
  andalusite 221
  $BaTiO_3$ 403
  $CaTiO_3$ 403
  chalcopyrite 393
  coesite 206
  forsterite:V 351
  kyanite 221
  perovskites 403
  sillimanite 221
  strain energy 221
deformation
  chalcopyrite 393
  coesite 325
  forsterite 351
  perovskites 403
  quartz 325
diamond anvil cell
  baddeleyite 233
  structure determination 165
diaplectic glass
  calorimetry 357
  labradorite 357
dichromatism
  quartz 415
diffusion
  NaSi–CaAl plagioclase 11
dolomite $CaMg(CO_3)_2$
  electron paramagnetic resonance 331
  Mn^{2+},Fe^{3+} impurities 331

E

elastic properties
  forsterite 360
  polyhedral model 360
  quartz 102
electron density
  fayalite 337
electronic structure
  silicate clusters 48
electron microscopy
  augite 113
  chalcopyrite 393
  coesite 206, 325
  perovskites 403
  pigeonite 113
  quartz 325
electron paramagnetic resonance (EPR)
  dolomite:Mn^{2+},Fe^{3+} 331
enthalpy
  spinel 79
equation of state
  bertrandite 69
  magnetite 215
  phenakite 69
  spinel 215
exsolution
  augite 113
  pigeonite 113
extended X-ray absorption fine structure (EXAFS)
  cf. X-ray spectra

F

ferrobielastic property
  quartz 102
force constants
  Ni_2SiO_4 spinel 156
fossil resins
  *beckerite 411

G

garnet group
  nuclear gamma ray resonance 198
  schorlomite 198
glasses
  diaplectic 357
  labradorite 357
  thermodynamic properties 357
glide systems
  chalcopyrite 393
  perovskites 403

H

hematite
  nuclear gamma ray resonance 61
high pressure
  baddeleyite 233
  bertrandite 69
  magnetite 215, 238
  olivine 311
  phase transition 311
  phenakite 69
  perovskite-type $MgSiO_3$ 311
  silicate spinel 1, 311
  single crystal growth 1, 146
  spinel structure 215
humite group
  chondrodite 161
  clinohumite 161
  infrared spectra 161

I

incommensurate structure
  plagioclase 119
infrared absorption (IR) spectra
  alkali feldspar 306
  *beckerite 411
  chondrodite 161
  clinohumite 161
  β–Co_2SiO_4 141
  high pressure 141
  hydrous magnesium silicates 161
  β–Mg_2SiO_4 141
  water in alkali feldspar 306
iron
  oxihydroxides 31
  X-ray spectra 31

J

Jahn-Teller effect
  Mn^{3+} in clinoamphibole 291
  Mn^{3+} in clinopyroxene 291

K

kalsilite $KAlSiO_4$
  nuclear magnetic resonance 371
  cation ordering 371
kyanite Al_2SiO_5
  strain energy 221

L

lamellae homogenization
  plagioclase 11
langbeinite-type
  phase transition 17, 25

Raman spectra 25
structure 17
lattice energy
spinel 79
lattice vibrations
Ni_2SiO_4 spinel 156
stishovite 285
lepidocrocite FeO(OH)
nuclear gamma ray resonance 61

M

magnetic properties
biotite 281, 282
obsidians 256
magnetite Fe_3O_4
compressibility 215, 238
crystal structure high pressure 215, 238
Néel temperature 238
melilite $(Ca,Na)_2(Mg,Fe,Al)(Si,Al)_2O_7$
gallium-bearing 152
nuclear gamma-ray resonance 152
synthesis 152
mica group
biotite 281, 282
magnetic properties 281, 282
modulated structure
cf. incommensurate structure
molecular cluster calculation
silicates 48
molecular orbital (MO) theory
DVM-Xα 48

N

Néel temperature
magnetite 238
nepheline $NaAlSiO_4$
cation ordering 371
nuclear magnetic resonance 371
nuclear gamma ray resonance (NGR)
biotite 281, 282
blanfordite 291
clinoamphiboles 291
clinopyroxenes 291
hematite 61
juddite 291
lepidocrocite 61
melilites, Fe^{3+} 152
obsidians 256
schorlomite 198
winchite 291
nuclear magnetic resonance (NMR)
*beckerite 411
kalsilite:Si,Al 371
nepheline:Si,Al 371

O

obsidian
nuclear gamma ray resonance 256
magnetization 256
olivine group
deformation 351
elastic properties 360
electron density 337
fayalite 337
forsterite 351, 360
high pressure phase equilibria 311
Mg_2GeO_4 91
optical absorption spectra 337
polyhedral model 360
Raman spectra 91
optical absorption spectra
blanfordite 291
clinoamphiboles 291
clinopyroxenes 291
fayalite 337
juddite 291
orthopyroxene 96
spin-forbidden spectrum 96
strong field scheme 96
winchite 291
order-disorder
alkali feldspar 340
baddeleyite 233
dolomite 331
kalsilite:Si,Al 371
nepheline:Si,Al 371
plagioclase 119
orthopyroxene $(Mg,Fe)_2Si_2O_6$
cf. pyroxene group
spin-forbidden absorption spectrum 96
osumilite $(K,Na)(Fe,Mg)_2(Al,Fe)_3(Si,Al)_{12}O_{30}\cdot H_2O$
X-ray spectra 31

P

periclase
diffusion of carbon 262, 277, 280
perovskite type
$BaTiO_3$ 403
$CaTiO_3$ 403
glide system 403
$MgSiO_3$ 311
thermodynamic properties 311
phase equilibria high pressure system Fe–Mg–Si–O 311
phase transition
alkali feldspar 340
baddeleyite 233
coesite 325
fayalite 227
langbeinite-type 17, 25
modified spinel 1
olivine-spinel 227
plagioclase 119
quartz 325
spinel 1, 227
phenakite Be_2SiO_4
crystal chemistry 69
equation of state 69
plagioclase $(Na,Ca)Al(Al,Si)Si_2O_8$
cation ordering 119
diaplectic glass 357
incommensurate structures 119
labradorite 357
lamellae homogenization 11
NaSi–CaAl interdiffusion 11
phase transformations 119
thermodynamic properties 357
X-ray spectra 31
polyhedral model
elasticity forsterite 360
pressure effect
cordierite structure 165
spinel structure 215, 238
pyroxene group
aluminous 183
blanfordite 291
cluster variation method 183
crystal structure 291
diopside 174, 183
Jahn-Teller effect Mn^{3+} 291
nuclear gamma ray resonance 291
omphacite 183
optical absorption spectra 96
phase transformation 311
thermodynamic properties 174, 183, 311

Q

quartz SiO_2
amethyst 415
citrine 415
color centers 415
-coesite aggregates 325
dichromatism 415
DVM-Xα calculation 48
elastic properties 102
ferrobielasticity 102
twinning 102
water 245

R

Raman spectra
alkali feldspar 340
high temperature 156
langbeinite type 25
olivine 91
spinel 91, 156
stishovite 285

S

shock effects
labradorite 357
short range order
alkali feldspar 340
thermodynamics 174, 183
sillimanite Al_2SiO_5
strain energy 221
solid solution thermodynamics
aluminous pyroxenes 174, 183
statistical mechanics 174, 183
wüstite 311
spinel group
$\beta-Co_2SiO_4$ 141
compressibility 215, 238
crystal growth 1
equation of state 215
Fe_2SiO_4 227
infrared absorption 141
magnetite 215, 238
$MgAl_2O_4$ 215
Mg_2GeO_4 91
$\beta-Mg_2SiO_4$ 141, 382
$(Mg,Fe)_2SiO_4$ 1, 91, 311
modified 1, 141, 311, 382
Ni_2SiO_4 156, 227
order-disorder 227
phase transition 1, 227, 311
Raman spectra 91, 156
silicate spinels 1, 156, 227, 311, 382
thermodynamic properties 79, 311
X-ray spectra 31
spinelloids
$MgGa_2O_4-Mg_2GeO_4$ 382
$Mg_3Ga_2GeO_8$ 382
statistical mechanics
short-range order 174, 183
stishovite SiO_2
lattice vibrations 285
Raman spectrum 285
single-crystal growth 146
structure high temperature 146
thermal expansion 146
strain
energy Al_2SiO_5 221
sulfides
Auger electron sepctra 347
X-ray emission spectra 347

T

thermal expansion
stishovite 146
thermodynamic properties
olivine 311
perovskite 311
pyroxenes 174, 183, 311
short-range order 174, 183
statistical mechanics 174, 183
spinel 79, 311
water in quartz 245
wüstite 311
twinning
coesite 206
quartz 102

W

water
in alkali feldspar 306
in quartz 245
wüstite FeO
thermodynamic properties 311

X

X-ray spectra
EXAFS 31
Fe-minerals 31
osumilite 31
plagioclase 31
spinel 31
sulfides 347

Z

ZrO_2
high pressure phase 233